

EVOX G³
Modular Design, Easy Installation

亚克力立体字

EVOX Heat Pumps
Extreme Heating & Cooling for Varied Climates

亚克力立体字

EVOX G³
Modular Design, Easy Installation

One SKU - Six Flexible Applications

1
Upflow

2
Downflow

3
Horizontal Right

4
Horizontal Left

5
Low-boy(Top Return/Supply)

6
Low-boy(Top Return/Supply)

"Lightweight, compact, and easy to carry up and down stairs; Solves the big problem of how to get air handlers up into attics"

444.5"546.1"1345

AIRCARE CUBE

EXCLUSIVE LOW-BOY APPLICATION

560"1202

Easy to Install & Fit in Different Spaces

Screwless Connection

Site Design for Attic Space

One-man operation

Flexible Installation Ways

EVOX Heat Pumps
Extreme Heating & Cooling for Varied Climates

18,000 BTU - 54,000 BTU

SEER2 Up to 19.0

EER2 Up to 12.5

COP@5°F Up to 2.14

HSPF2 Up to 10.8

GREAT LAKES & NORTHERN REGION

SOUTHWEST REGION

SOUTHEAST REGION

Participation in the Residential Cold Climate Heat Pump Challenge — Department of Energy

Exceeding Benchmarks at Lab Testing:

-15°F/26°C

5°F/15°C

122°F

890*342*661

19%

980*415*975

27%

-22°F

EVOX Heat Pumps
Extreme Heating & Cooling for All Climates

18,000 BTU - 54,000 BTU

SEER2 Up to 19.0

EER2 Up to 12.5

COP@5°F Up to 2.14

HSPF2 Up to 10.8

GREAT LAKES & NORTHERN REGION

SOUTHWEST REGION

SOUTHEAST REGION

Participation in the Residential Cold Climate Heat Pump Challenge — Department of Energy

Exceeding Benchmarks at Lab Testing:

-15°F/26°C

5°F/15°C

122°F

890*342*661

19%

980*415*975

27%

-22°F

"Lightweight, compact, and easy to carry up and down stairs; Solves the big problem of how to get air handlers up into attics"

EXCLUSIVE LOW-BOY APPLICATION

AIRCARE CUBE

亚克力UV

亚克力UV

背胶写真画面

19%

亚克力UV

背胶写真画面

27%

亚克力UV

背胶不制作

背发光(暖光)

背发光(冷光)

木结构雕刻，表面贴写真画面

122°F

19%

27%

-22°F

1:10

Hot Water Revolutionized with Heat Pump Power



亚克力立体字

EVOX G³ Flip the Switch from Gas

亚克力立体字


Hot Water Revolutionized with Heat Pump Power

EVOX G³ Flip the Switch from Gas



亚克力UV

背胶写真画面




亚克力UV


Automatically Adapts to Existing Voltage




Fits the Existing Furnace Footprint



木结构，表面赋写真画面



Automatically Adapts to Existing Ductwork Design



背胶写真画面

亚克力立体字

EVOX Easy Upgrades for Varied Building Types

EVOX

1403*593*278

46"

515*399*927

FOR
MULTI-FAMILY
BUILDINGS

What Makes EVOX Easy

Compatible
with 485&24V

Computational
Constant Airflow
of Up to 0.8"

Eligible for Major
Incentive & Rebates

115V & 208/230V
Multi-Voltage

Flexible Heating Combination

Cold Climate Heat Pump
Midea EVOX Heat Pump

Combo Heat
Midea EVOX Heat Pump+
Auxiliary Heat Kit

Dual Fuel
Midea EVOX Heat Pump+
A-coil

EVOX Heat Pump
Capacity: 1.5-5 Tons (5B-60K)

Heating Operation Range -4°F to 24°F
Cooling Operation Range -4°F to 92°F

Key Benefits:

- 25% Energy Savings
- 100% SEER
- 100% HSPF
- 100% EER
- 100% COP
- 100% ARI

980*415*975

622*534*1346

46"

Air Handler
Capacity:
1.5-5 Tons (5B-60K)

Performance:
SEER2 (10 to 14) MA
HSPF2 (10 to 14) MA
EER2 (10 to 14) MA

Key Benefits:

- 25% Energy Savings
- 100% SEER
- 100% HSPF
- 100% EER
- 100% COP
- 100% ARI

Dual Fuel

During Winter
Dual-Fuel Capability

Cool
Efficiently and efficiently
cooling your home.

During Summer
Efficient Cooling

Heat
Efficiently and efficiently
heating your home.

533*533*609

Furnace

A-Coil
Capacity:
1.5-5 Tons (5B-60K)

Performance:
SEER2 (10 to 14) MA
HSPF2 (10 to 14) MA
EER2 (10 to 14) MA

Key Benefits:

- 25% Energy Savings
- 100% SEER
- 100% HSPF
- 100% EER
- 100% COP
- 100% ARI

FOR
SINGLE-FAMILY
HOUSES

亚克力UV 亚克力UV

Wall-Mounted
Air Handler
Capacity:
1.5-5 Tons (5B-60K)

Performance:
SEER2 (10 to 14) MA
HSPF2 (10 to 14) MA
EER2 (10 to 14) MA

Key Benefits:

- 25% Energy Savings
- 100% SEER
- 100% HSPF
- 100% EER
- 100% COP
- 100% ARI

Ceiling-Mounted
Air Handler
Capacity:
1.5-5 Tons (5B-60K)

Performance:
SEER2 (10 to 14) MA
HSPF2 (10 to 14) MA
EER2 (10 to 14) MA

Key Benefits:

- 25% Energy Savings
- 100% SEER
- 100% HSPF
- 100% EER
- 100% COP
- 100% ARI

亚克力UV

EVOX Heat Pump
Capacity: 1.5-5 Tons (5B-60K)

Heating Operation Range -4°F to 24°F
Cooling Operation Range -4°F to 92°F

Key Benefits:

- 25% Energy Savings
- 100% SEER
- 100% HSPF
- 100% EER
- 100% COP
- 100% ARI

背胶写真画面

亚克力UV

Air Handler
Capacity:
1.5-5 Tons (5B-60K)

Performance:
SEER2 (10 to 14) MA
HSPF2 (10 to 14) MA
EER2 (10 to 14) MA

Key Benefits:

- 25% Energy Savings
- 100% SEER
- 100% HSPF
- 100% EER
- 100% COP
- 100% ARI

亚克力UV
黑边不制作

Furnace

亚克力UV

Furnace

亚克力UV


A-Coil
Capacity:
1.5-5 Tons (5B-60K)

Performance:
SEER2 (10 to 14) MA
HSPF2 (10 to 14) MA
EER2 (10 to 14) MA

Key Benefits:

- 25% Energy Savings
- 100% SEER
- 100% HSPF
- 100% EER
- 100% COP
- 100% ARI


以结构实际尺寸制作





1:10

Success Through Commitment

亚克力立体字




金属边框奖状




Compact Design,
Powerful Heating,
Targeted Warmth

亚克力立体字

Compact Design,
Powerful Heating,
Targeted Warmth





亚克力UV



Compact Design, Powerful Heating,
Targeted Warmth

亚克力立体字

Compact Design, Powerful Heating,
Targeted Warmth



灯箱

背胶写真画面



Innovation for Multi-Family Building Decarbonization



背胶写真画面

1:10

ONE TOUCH TO ONE THOUSAND

亚克力立体字

ONE TOUCH TO ONE THOUSAND

Midea Communicating Thermostat

Smooth for Consumers



Smooth
4" Touchscreen with
user-friendly interface



M-Station



Smart
Ultra-efficient Home
Comfort Management



Synergistic
Integrates with 485 or 24V
HVAC systems



Seamless
Integrates with other
smart home devices



Simple
Installation with push-in
wire terminals

Simple for Contractors



样机



Instinctual Scheduling



Minimal Touches to
Maximum Comfort



Anywhere, Anytime,
Anyone with SmartHome App



Smart Control-Painless
Installation



One touch iCheck
System Health Test

木结构，表面赋写真画面

Instinctual Scheduling

Minimal Touches to
Maximum Comfort

Anywhere, Anytime,
Anyone with SmartHome App

Smart Control-Painless
Installation

One touch iCheck
System Health Test



发光立体字



info

info

亚克力立体字